



# STANDARDSMARK LICENCE

SAI Global hereby grants:

## Steel Mains Proprietary Limited

ABN 73 004 843 056

125-175 Patullos Lane, Somerton, VIC 3062, Australia

### StandardsMark Licence

Manufactured to:

**AS 1579-2001 - Arc-welded steel pipes and fittings for water and waste-water**

"the StandardsMark Licensee" the right to use the STANDARDSMARK as shown below only in respect of the goods described and detailed in the Schedule which are produced by the Licensee or on behalf of the Licensee\* and which comply with the appropriate Standard referred to above as from time to time amended. The Licence is granted subject to the rules governing the use of the STANDARDSMARK and the Terms and Conditions for certification and licence. The Licensee covenants to comply with all the Rules and Terms and Conditions.

**Licence No: SMK02540**

**Issued :** 14 September 2020

**Expires :** 19 March 2026

**Originally Certified :** 20 March 2001

**Current Certification :** 9 September 2020

Heather Mahon  
General Manager Technical Services  
SAI Global Assurance



Australian  
Standard



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to [www.saiglobal.com](http://www.saiglobal.com), for the list of product models.



# SCHEDULE TO STANDARDSMARK LICENCE

SAI Global hereby grants:

## Steel Mains Proprietary Limited

125-175 Patullos Lane, Somerton, VIC 3062, Australia

StandardsMark Licence

Manufactured to:

**AS 1579-2001 - Arc-welded steel pipes and fittings for water and waste-water**

Model identification of the goods on which the STANDARDSMARK may be used:

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
DN375 - DN1200, Tapping Sleeve, Flange	Steel Tapping Sleeve (Gripper Clamps), Flange Joint		Steel Pipe Fitting DN375- DN1200 Pr 0 - 1.6 FBE or paint coating FBE or paint liner	Tapping Sleeve (Gripper Clamps)	Steel	375 - 1200	N/A	N/A	0-1.6	Paint, or corrosion protection with fusion bonded epoxy coating	Paint, or corrosion protection with fusion bonded epoxy coating	Flanged Joint	7 Sep 2016
DN375 - DN1200, Tapping Sleeve, Plain	Steel Tapping Sleeve (Gripper Clamps), Plain End		Steel Pipe Fitting DN375- DN1200 Pr 0 - 1.6 FBE or paint coating FBE or paint liner	Tapping Sleeve (Gripper Clamps)	Steel	375 - 1200	N/A	N/A	Up to PN16	Paint, or corrosion protection with fusion bonded epoxy coating	Paint, or corrosion protection with fusion bonded epoxy coating	Plain End	7 Sep 2016
OD114 - OD1422, Bend, SSJ	Steel Bend, Spherical Slip-in Joint		Steel Pipe Fitting OD114 - OD1422 WT 4.5 - 12mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Bend	Steel	N/A	114 - 1422	4.5 - 12	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Spherical Slip-In Joint	7 Sep 2016
OD114 - OD2500, Dismantling Joint - Thrust & Non-Thrust Type, Bevel	Mild Steel or Stainless Steel Dismantling Joint, Bevelled Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or FBE, or paint coating Unlined, or CML, or seal coated cement, or FBE, or paint lining	Dismantling Joint - Thrust & Non-Thrust Type	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or fusion bonded epoxy or paint	Unlined, or cement mortar, or sealcoated cement mortar or fusion bonded epoxy or paint	Bevelled Joint	7 Sep 2016

Licence No: SMK02540

Issued Date: 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
OD114 - OD2500, Dismantling Joint - Thrust & Non-Thrust Type, Collar	Mild Steel or Stainless Steel Dismantling Joint, Weld Collar joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or FBE, or paint coating Unlined, or CML, or seal coated cement, or FBE, or paint lining	Dismantling Joint - Thrust & Non-Thrust Type	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or fusion bonded epoxy or paint	Unlined, or cement mortar, or sealcoated cement mortar or fusion bonded epoxy or paint	Weld Collar	7 Sep 2016
OD114 - OD2500, Dismantling Joint - Thrust & Non-Thrust Type, Flange	Mild Steel or Stainless Steel Dismantling Joint, Flanged Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or FBE, or paint coating Unlined, or CML, or seal coated cement, or FBE, or paint lining	Dismantling Joint - Thrust & Non-Thrust Type	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or fusion bonded epoxy or paint	Unlined, or cement mortar, or sealcoated cement mortar or fusion bonded epoxy or paint	Flanged	7 Sep 2016
OD114 - OD2500, Dismantling Joint - Thrust & Non-Thrust Type, Plain	Mild Steel or Stainless Steel Dismantling Joint, Plain End		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or FBE, or paint coating Unlined, or CML, or seal coated cement, or FBE, or paint lining	Dismantling Joint - Thrust & Non-Thrust Type	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or fusion bonded epoxy or paint	Unlined, or cement mortar, or sealcoated cement mortar or fusion bonded epoxy or paint	Plain End	7 Sep 2016
OD114 - OD2500, Expansion Joint, Bevel	Mild Steel or Stainless Steel Expansion Joint, Bevelled Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or FBE, or paint coating Unlined, or CML, or seal coated cement, or FBE, or paint lining	Expansion Joint	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Bevelled Joint	7 Sep 2016
OD114 - OD2500, Expansion Joint, Collar	Mild Steel or Stainless Steel Expansion Joint, Weld Collar Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or FBE, or paint coating Unlined, or CML, or seal coated cement, or FBE, or paint lining	Expansion Joint	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Weld Collar	7 Sep 2016

Licence No: SMK02540

Issued Date: 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
OD114 - OD2500, Expansion Joint, Flange	Mild Steel or Stainless Steel Expansion Joint, Flanged Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Expansion Joint	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Flanged Joint	7 Sep 2016
OD114 - OD2500, Expansion Joint, Plain	Mild Steel or Stainless Steel Expansion Joint, Plain End		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Expansion Joint	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Plain End	7 Sep 2016
OD114 - OD2500, Expansion Joint, within pipe	Mild Steel or Stainless Steel Expansion Joint, joint part of pipe		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 3.0 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Expansion Joint	Mild Steel or Stainless Steel	N/A	114 - 2500	4.5 - 25	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Part of pipe	7 Sep 2016
OD114 - OD2500, Reducer, Flange	Steel Reducer, Flanged Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Reducer	Steel	N/A	114 - 2500	4.5 - 25	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Flanged	7 Sep 2016
OD114 - OD2500, Reducer, Plain	Steel Reducer, Plain End, Bevelled Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Reducer	Steel	N/A	114 - 2500	4.5 - 25	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Plain End, Bevelled Joint	7 Sep 2016

**Licence No:** SMK02540

**Issued Date:** 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
OD114 - OD2500, Special, Flange	Steel Special fitting, Flange Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or Sintaline, or CML, or seal coated cement, or paint lining	Pipe Special	Steel	N/A	114 - 2500	4.5 - 25	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or Sintaline, or cement mortar, or sealcoated cement mortar or paint	Flanged Joint	7 Sep 2016
OD114 - OD2500, Special, Plain	Steel Special fitting, Plain & Bevelled end Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Pipe Special	Steel	N/A	114 - 2500	4.5 - 25	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Plain, Bevelled Joints	7 Sep 2016
OD114 - OD2500, Tee/Branch, Flange	Steel Tee/Branch, Flanged Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Tee/Branch	Steel	N/A	114 - 2500	4.5 - 25	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Flanged Joint	7 Sep 2016
OD114 - OD2500, Tee/Branch, Plain	Steel Tee/Branch, Plain, Bevelled Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Tee/Branch	Steel	N/A	114 - 2500	4.5 - 25	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Plain, Bevelled Joints	7 Sep 2016
OD114 - OD2500, Bend, Flange	Steel Bend, Flanged Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or Sintaline, or CML, or seal coated cement, or paint lining	Bend	Steel	N/A	114 - 2500	4.5 - 25	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or Sintaline, or cement mortar, or sealcoated cement mortar or paint	Flanged Joint	7 Sep 2016

**Licence No:** SMK02540

**Issued Date:** 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.



# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
OD114 - OD2500, Bend, Plain Bevel	Steel Bend, Plain, Bevelled Joint		Steel Pipe Fitting OD114 - OD2500 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Bend	Steel	N/A	114 - 2500	4.5 - 25	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Plain, Bevelled Joints	7 Sep 2016
OD168 - OD1422, Reducer, SSJ	Steel Reducer, Spherical Slip-in Joint		Steel Pipe Fitting OD168 - OD1422 WT 4.5 - 12mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Reducer	Steel	N/A	168 - 1422	4.5 - 12	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Spherical Slip-In Joint	7 Sep 2016
OD168 - OD1422, Special, SSJ	Steel Special fitting, Plain & Bevelled end Joint		Steel Pipe Fitting OD114 - OD1422 WT 4.5 - 25mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Pipe Special	Steel	N/A	168 - 1422	4.5 - 12	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Spherical Slip-In Joint	7 Sep 2016
OD168 - OD1422, SSJ	Pipe, Spherical Slip-in Joint		Steel Pipe, OD168 - OD1422, WT 4.5 - 12.0, Pr 0 - 6.8, 6M - 13.5M uncoated or FBPE or paint coatings Unlined or CML or seal coated CML or paint lining	Pipe	Steel	150 - 1400	168 - 1422	4.5 - 12.0	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Spherical Slip-In Joints	4 Sep 2015
OD168 - OD1422, Tee/Branch, SSJ	Steel Tee/Branch, Spherical Slip-in Joint		Steel Pipe Fitting OD168 - OD1422 WT 4.5 - 12mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Tee/Branch	Steel	N/A	168 - 1422	4.5 - 12	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Spherical Slip-In Joint	7 Sep 2016

**Licence No:** SMK02540

**Issued Date:** 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
OD168 - OD2032, Plain End	Pipe, Plain ends or Plain End with Bevel Butt Joint		Steel Pipe, OD168 - OD2032, WT 4.5 - 20.0, Pr 0 - 6.8, 6M - 13.5M uncoated or FBPE or paint coatings Unlined or CML or seal coated CML or paint lining	Pipe	Steel	150 - 2000	168 - 2032	4.5 - 20.0	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Plain End or Plain End with Bevel Joints	4 Sep 2015
OD324 - OD1422, SLJ - Type 1	Pipe, Welded Joint with Elastomeric Ring enhancement	Sintalock Type I	Steel Pipe, OD324 - OD1422, WT 4.5 - 10.0, Pr 0 - 6.8, 6M - 13.5M uncoated or FBPE or paint coatings CML or seal coated CML or FBPE or paint lining	Pipe	Steel	300 - 1400	324 - 1422	4.5 - 10.0	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Cement mortar, or sealcoated cement mortar or fusion bonded medium density polyethylene or paint	Sintalock Type I	4 Sep 2015
OD324 - OD1829, Reducer, RRJ	Steel Reducer, Elastomeric Ring Joint		Steel Pipe Fitting OD324 - OD1829 WT 4.5 - 16mm Pr 0 - 3.0 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Reducer	Steel	N/A	324 - 1829	4.5 - 16	0 - 3.0	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Elastomeric Ring Joint	7 Sep 2016
OD324 - OD1829, RRJ	Pipe, Elastomeric Ring Joint	Sintajoint	Steel Pipe, OD324 - OD1829, WT 4.5 - 12.0, Pr 0 - 4.25, 6M - 13.5M uncoated or FBPE or paint coatings CML or seal coated CML or FBPE or paint lining	Pipe	Steel	300 - 1800	324 - 1829	4.5 - 12.0	0 - 4.25	Uncoated, or fusion bonded medium density polyethylene or paint	Cement mortar, or sealcoated cement mortar or fusion bonded medium density polyethylene or paint	Elastomeric Ring Joint	4 Sep 2015
OD324 - OD1829, Special, RRJ	Steel Special fitting, Elastomeric Ring Joint		Steel Pipe Fitting OD324 - OD1829 WT 4.5 - 16mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or Sintaline, or CML, or seal coated cement, or paint lining	Pipe Special	Steel	N/A	324 - 1829	4.5 - 16	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or Sintaline, or cement mortar, or sealcoated cement mortar or paint	Elastomeric Ring Joint	7 Sep 2016

**Licence No:** SMK02540

**Issued Date:** 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
OD324 - OD1829, Tee/Branch, RRJ	Steel Tee/Branch, Elastomeric Ring Joint		Steel Pipe Fitting OD324 - OD1829 WT 4.5 - 16mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Tee/Branch	Steel	N/A	324 - 1829	4.5 - 16	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Elastomeric Ring Joint	7 Sep 2016
OD324 - OD1829, Bend, RRJ	Steel Bend, Elastomeric Ring Joint		Steel Pipe Fitting OD324 - OD1829 WT 4.5 - 16mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or Sintaline, or CML, or seal coated cement, or paint lining	Bend	Steel	N/A	324 - 1829	4.5 - 16	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or Sintaline, or cement mortar, or sealcoated cement mortar or paint	Elastomeric Ring Joint	7 Sep 2016
OD406 - OD1422 SSJ	Pipe, Spherical Slip-in Joint		Steel Pipe, OD406 - OD1422, WT 4.5 - 12.0, Pr 0 - 6.8, 6M - 13.5M uncoated, or FBPE, or paint coatings Unlined, or CML, or seal coated cement, or paint lining	Pipe	Steel	400 - 1400	406 - 1422	4.5 - 12.0	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Spherical Slip-In Joint	7 Sep 2016
OD406 - OD1422, SLJ - Type 1	Pipe, Welded Joint with Elastomeric Ring enhancement	Sintalock Type I	Steel Pipe, OD406 - OD1422, WT 4.5 - 10.0, Pr 0 - 6.8, 6M - 13.5M uncoated, or FBPE, or paint coatings CML, or seal coated cement, or FBPE, or paint lining	Pipe	Steel	400 - 1400	406 - 1422	4.5 - 10.0	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Cement mortar, or sealcoated cement mortar or fusion bonded medium density polyethylene or paint	Sintalock Type I	7 Sep 2016
OD406 - OD1829, RRJ	Pipe, Elastomeric Ring Joint	Sintajoint	Steel Pipe, OD406 - OD1829, WT 4.5 - 12.0, Pr 0 - 4.25, 6M - 13.5M FBPE or paint coatings CML, or seal coated cement, or paint lining	Pipe	Steel	400 - 1800	406 - 1829	4.5 - 12.0	0 - 4.25	Fusion bonded medium density polyethylene or paint	Cement mortar, or sealcoated cement mortar or paint	Elastomeric Ring Joint	7 Sep 2016

**Licence No:** SMK02540

**Issued Date:** 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.



# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
OD406 - OD2500, Plain End	Pipe, Plain ends or Plain End with Bevel Butt Joint		Steel Pipe, OD406 - OD2500, WT 4.5 - 25.0, Pr 0 - 6.8, 6M - 13.5M uncoated, or FBPE, or paint coatings Unlined, or CML, or seal coated cement, or paint lining	Pipe	Steel	400 - 2500	406 - 2500	4.5 - 25.0	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Plain End or Plain End with Bevel Joints	7 Sep 2016
OD502 - OD1829, SLJ - Type 2	Pipe, Welded Joint with Elastomeric Ring enhancement	Sintalock Type II	Steel Pipe, OD502 - OD1829, WT 4.5 - 12.0, Pr 0 - 3.5, 6M - 13.5M uncoated, or FBPE, or paint coatings CML, or seal coated cement, or FBPE, or paint lining	Pipe	Steel	500 - 1800	502 - 1829	4.5 - 12.0	0 - 3.5	Uncoated, or fusion bonded medium density polyethylene or paint	Cement mortar, or sealcoated cement mortar or fusion bonded medium density polyethylene or paint	Sintalock Type II	7 Sep 2016
OD502 - OD1829, SLJ - Type 2	Pipe, Welded Joint with Elastomeric Ring enhancement	Sintalock Type II	Steel Pipe, OD502 - OD1829, WT 4.5 - 12.0, Pr 0 - 3.5, 6M - 13.5M uncoated or FBPE or paint coatings CML or seal coated CML or FBPE or paint lining	Pipe	Steel	500 - 1800	502 - 1829	4.5 - 12.0	0 - 3.5	Uncoated, or fusion bonded medium density polyethylene or paint	Cement mortar, or sealcoated cement mortar or fusion bonded medium density polyethylene or paint	Sintalock Type II	4 Sep 2015
OD914 - OD2032, B&S	Pipe, Ball and Socket Joint		Steel Pipe, OD914 - OD2032, WT 6.0 - 20.0, Pr 0 - 6.8, 6M - 13.5M uncoated or FBPE or paint coatings Unlined or CML or seal coated CML or paint lining	Pipe	Steel	900 - 2000	914 - 2032	6.0 - 20.0	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Ball and Socket Joints	4 Sep 2015
OD914 - OD2500, B&S	Pipe, Ball and Socket Joint		Steel Pipe, OD914 - OD2500, WT 6.0 - 20.0, Pr 0 - 6.8, 6M - 13.5M uncoated, or FBPE, or paint coatings Unlined, or CML, or seal coated cement, or paint lining	Pipe	Steel	900 - 2500	914 - 2500	6.0 - 20.0	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Ball & Socket (B&S) Joint	7 Sep 2016

**Licence No:** SMK02540

**Issued Date:** 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.

# SCHEDULE TO STANDARDSMARK LICENCE

Model Identification	Model Name	Brand Name	Product Description	Product Type	Material Designation	Nominal Size (DN)	Outside Diameter (mm)	Wall Thickness (mm)	Rated Pressure (MPa)	Coating Designation	Lining Designation	Joint Designation	Date Endorsed
OD914 - OD2500, Reducer, B&S	Steel Reducer, Ball and Socket Joint		Steel Pipe Fitting OD914 - OD2500 WT 6.0 - 20mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Reducer	Steel	N/A	914 - 2500	6.0 - 20	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Ball and Socket Joint	7 Sep 2016
OD914 - OD2500, Special, B&S	Steel Special fitting, Ball and Socket Joint		Steel Pipe Fitting OD914 - OD2500 WT 6.0 - 20mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Pipe Special	Steel	N/A	914 - 2500	6.0 - 20	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Ball and Socket Joint	7 Sep 2016
OD914 - OD2500, Tee/Branch, B&S	Steel Tee/Branch, Ball and Socket Joint		Steel Pipe Fitting OD914 - OD2500 WT 6.0 - 16mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Tee/Branch	Steel	N/A	914 - 2500	6.0 - 16	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Ball and Socket Joint	7 Sep 2016
OD914 - OD2500, Bend, B&S	Steel Bend, Ball and Socket Joint		Steel Pipe Fitting OD914 - OD2500 WT 6.0 - 20mm Pr 0 - 6.8 Uncoated, or FBPE, or paint coating Unlined, or CML, or seal coated cement, or paint lining	Bend	Steel	N/A	914 - 2500	6.0 - 20	0 - 6.80	Uncoated, or fusion bonded medium density polyethylene or paint	Unlined, or cement mortar, or sealcoated cement mortar or paint	Ball & Socket (B&S) Joint	7 Sep 2016

**End of Record**

**Licence No:** SMK02540

**Issued Date:** 14 September 2020

This schedule supersedes all previously issued schedules



\* For details of manufacture, refer to the licensee

The STANDARDSMARK is a registered certification trademark of SAI Global Pty Limited (A.C.N. 050 644 642) and is issued under licence by SAI Global Certification Services Pty Limited (ACN 108 716 669) ("SAI Global") 680 George Street, Sydney NSW 2000, GPO Box 5420 Sydney NSW 2001. This certificate remains the property of SAI Global and must be returned to SAI Global upon its request. Refer to the Schedule for the list of product models.